


CATALOG AG

UDP

Agricultural Hose Products



ABBOTT RUBBER COMPANY, INC.

AGRICULTURAL CATALOG - SPRING 2025



1311 MEACHAM RD. ITASCA, IL 60143
(847) 952-1800 (800) 852-1855 FAX (847) 952-0156
E-MAIL sales@abbottrubber.com
WEBSITE www.abbottrubber.com

Abbott Rubber Company fabricates hose and assemblies specifically designed for the agricultural marketplace. Selling to original equipment manufacturers, agricultural products dealers and retail farm stores, we are considered a leader in product quality and service. We can private label our hose products for retail sale and fabricate hose kits for any customer requirement.

ISO 9001:2015 Certified

Table of Contents

	Page
PVC Water Suction/Transfer Hose & Assemblies	3
EPDM Rubber/Plastic Fertilizer Solution Hose	3
EPDM Rubber Fertilizer Solution Hose	4
PVC Discharge Hose & Assemblies	4
Heavy-Duty PVC Pump Discharge Hose	5
Water Pump Transfer Hose Kits	5
EVA Applicator Tubing	6
Clear PVC Vinyl Tubing	6
EPDM Agricultural Spray Hose	7
Farm Fuel Transfer Hose Assemblies	7
Agricultural Hose Couplings	8
Agricultural Hose Accessories	9
Hydraulic Hose Assemblies	10





ULTRA DYNAMIC AGRICULTURAL HOSE PRODUCTS

ABBOTTRUBBER
COMPANY, INC.

PVC WATER SUCTION/TRANSFER HOSE

General purpose water suction and transfer hose. Will handle full vacuum.

PVC Water Suction/Transfer Hose

OLD PART	NEW PART	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
1241-1000	T40003000	708289302982	1"	80#	100 Ft.
1240-1250	T42003001	708289273886	1-1/4"	70#	100 Ft.
1240-1500	T42003002	708289017701	1-1/2"	70#	100 Ft.
1240-2000	T42003003	708289017800	2"	65#	100 Ft.
1240-3000	T42003005	708289273985	3"	55#	100 Ft.
1240-4000	T42003006	708289274081	4"	50#	100 Ft.

Also available in clear construction
Temperature Range: 15°F to 140°F
Do Not Use with Petroleum Based Products.



PVC Water Suction/Transfer Hose Assemblies

OLD PART	NEW PART	UPC CODE	SIZE I.D.	LENGTH	COUPLED
1241-1000-10	HA4003000	708289420402	1"	10 Ft.	M&F NPSH
1240-1500-20	HA4203002	708289003704	1-1/2"	20 Ft.	M&F NPSH
1240-2000-20	HA4203003	708289500395	2"	20 Ft.	M&F NPSH
1240-3000-20	HA4203005	708289268080	3"	20 Ft.	M&F NPSH
1240-4000-20	HA4203006	708289274289	4"	20 Ft.	M&F NPSH

Also available in clear construction
Temperature Range: 15°F to 140°F
Do Not Use with Petroleum Based Products.



ULTRA DYNAMIC AGRICULTURAL HOSE PRODUCTS

ABBOTTRUBBER
COMPANY, INC.

EPDM RUBBER/PLASTIC FERTILIZER SOLUTION HOSE

General purpose water and fertilizer solution transfer hose. Will handle full vacuum.

EPDM Rubber/Plastic Fertilizer Solution Hose

OLD PART #	NEW PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
1220-1000	TA4103000	708289274388	1"	50#	100 Ft.
1220-1250	TA4103001	708289015608	1-1/4"	50#	100 Ft.
1220-1500	TA4103002	708289015707	1-1/2"	50#	100 Ft.
1220-2000	TA4103003	708289015806	2"	50#	100 Ft.
1220-3000	TA4103005	708289274487	3"	45#	100 Ft.
1220-4000	TA4103006	708289274586	4"	40#	100 Ft.

Temperature Range: -40°F to 140°F
Do Not Use with Petroleum Based Products.



800-852-1855



www.abbottrubber.com



ULTRA DYNAMIC AGRICULTURAL HOSE PRODUCTS

ABBOTTRUBBER
COMPANY, INC.

EPDM RUBBER FERTILIZER SOLUTION HOSE



Heavy duty fertilizer or water suction/transfer hose. Will handle agricultural chemicals including Lasso®. Rated for full vacuum.

EPDM Rubber Fertilizer Solution Hose

OLD PART #	NEW PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
1210-1250	TA4303001	708289274685	1-1/4"	125#	100 Ft.
1210-1500	TA4303002	708289274784	1-1/2"	125#	100 Ft.
1210-2000	TA4303003	708289274883	2"	125#	100 Ft.
1210-3000	TA4303005	708289274982	3"	100#	100 Ft.
1210-4000	TA4303006	708289275088	4"	75#	100 Ft.


Temperature Range: -20°F to 180°F
Do Not Use with Petroleum Based Products.



ULTRA DYNAMIC AGRICULTURAL HOSE PRODUCTS

ABBOTTRUBBER
COMPANY, INC.

PVC PUMP DISCHARGE HOSE



General purpose reinforced PVC lay-flat water hose designed for open end discharge service.

PVC Pump Discharge Hose - Packaged

OLD PART #	NEW PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
1147-1000-100	T38003100	708289295581	1"	70#	100 Ft.
1147-1500-100	T38003102	708289013109	1-1/2"	65#	100 Ft.
1147-2000-100	T38003103	708289013208	2"	65#	100 Ft.
1147-3000-100	T38003105	708289295680	3"	60#	100 Ft.
1147-4000-100	T38003106	708289295789	4"	50#	100 Ft.

Temperature Range: -10°F to 150°F
Do Not Use with Petroleum Based Products.

PVC Pump Discharge Hose Assemblies - Packaged

OLD PART #	NEW PART #	UPC CODE	SIZE I.D.	LENGTH	COUPLED
1147-1000-25	HA3803000	708289420501	1"	25 Ft.	M&F NPSH
1147-1500-25	HA3803002	708289001304	1-1/2"	25 Ft.	M&F NPSH
1147-1500-50	HA3853002	708289275583	1-1/2"	50 Ft.	M&F NPSH
1147-2000-25	HA3803003	708289001502	2"	25 Ft.	M&F NPSH
1147-2000-50	HA3853003	708289275682	2"	50 Ft.	M&F NPSH
1147-3000-25	HA3803005	708289275781	3"	25 Ft.	M&F NPSH
1147-3000-50	HA3853005	708289667005	3"	50 Ft.	M&F NPSH
1147-4000-25	HA3803006	708289302883	4"	25 Ft.	M&F NPSH
1147-4000-50	HA3853006	708289275880	4"	50 Ft.	M&F NPSH

Temperature range -10°F to 150°F

Temperature Range: -10°F to 150°F
Do Not Use with Petroleum Based Products.





ULTRA DYNAMIC AGRICULTURAL HOSE PRODUCTS

ABBOTTRUBBER
COMPANY, INC.

HEAVY DUTY PVC PUMP DISCHARGE HOSE

Heavy duty medium pressure reinforced PVC lay-flat hose for water transfer in open end discharge applications.

Heavy-Duty PVC Pump Discharge Hose - Packaged

OLD PART #	NEW PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
1152-1500	TA3703002	708289275989	1-1/2"	150#	100 Ft.
1152-2000	TA3703003	708289276085	2"	150#	100 Ft.
1152-3000	TA3703005	708289276184	3"	125#	100 Ft.
1152-4000	TA3703006	708289276283	4"	100#	100 Ft.

Temperature Range: -10°F to 150°F
Do Not Use with Petroleum Based Products.



ULTRA DYNAMIC AGRICULTURAL HOSE PRODUCTS

ABBOTTRUBBER
COMPANY, INC.

SUCTION/TRANSFER PUMP HOSE KIT - BOXED

Hose kits that contain everything you need to connect to your pump for your application. All kits are boxed and labeled.

Fertilizer Solution Pump Suction/Transfer Hose Kit

SIZE	OLD PART #	NEW PART #	UPC CODE	QTY	EACH KIT CONTAINS
				1	PVC Suction Hose x 20 Ft. Assembly w/ 'C' & 'CN'
				1	PVC Discharge Hose x 25 Ft. Assembly w/ 'C' & 'E'
				1	Poly Strainer 'SPS'
				1	Poly Pump Adapter 'F'
				1	90° Poly Pump Adapter 'F'
2"	KIT-200C	HK42A3003	708289303088	2	Aluminum Pump Adapter 'A'

Temperature Range: 15°F to 140°F
Do Not Use with Petroleum Based Products.



Water Pump Suction/Transfer Hose Kit

SIZE	OLD PART #	NEW PART #	UPC CODE
1-1/2"	1240-KIT-1500-1147-CN/NPSH	HK42C3QS2	708289295888
2"	1240-KIT-2000-1147-CN/NPSH	HK42C3QS3	708289295987
3"	1240-KIT-3000-1147-CN/NPSH	HK42C3QS5	708289296083
4"	1240-KIT-4000-1147-CN/NPSH	HK42C3QS6	708289296182

QTY	EACH KIT CONTAINS
1	PVC Suction Hose x 20 Ft. Assembly w/ 'C' & 'CN'
1	PVC Discharge Hose x 50 Ft. Assembly w/ 'SU'
1	Steel Strainer 'SRHS'
1	Spanner Wrench 'SW'
1	Aluminum Pump Adapter 'A'

Temperature Range: 15°F to 140°F
Do Not Use with Petroleum Based Products.



800-852-1855



www.abbottrubber.com

EVA APPLICATOR TUBING

Suitable for use with aqueous-based agricultural chemicals including anhydrous ammonia, aqua ammonia, ammonium nitrate, herbicides, phosphates and liquid fertilizers.



EVA Applicator Tubing - Packaged

OLD PART #	NEW PART #	UPC CODE	SIZE I.D.	LENGTH
3110-0254-25	TA1507001	708289385954	1/4"	25 Ft.
3110-0384-25	TA1507002	708289111607	3/8"	25 Ft.
3110-0384-50	TA1508002	708289111706	3/8"	50 Ft.
3110-0384-100	TA1509002	708289386005	3/8"	100 Ft.
3110-0504-25	TA1507003	708289111805	1/2"	25 Ft.
3110-0504-50	TA1508003	708289111904	1/2"	50 Ft.
3110-0504-100	TA1509003	708289386104	1/2"	100 Ft.
3110-0634-50	TA1508004	708289295383	5/8"	50 Ft.
3110-0754-25	TA1507005	708289112901	3/4"	25 Ft.
3110-0754-50	TA1508005	708289295482	3/4"	50 Ft.

*Open End Applications Only
Temperature Range: -20°F to 150°F
Do Not Use with Petroleum Based Products.*



Braid Reinforced EVA Tubing - Boxed

OLD PART #	NEW PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
3120-0375-100	TA15B9002	708289296281	3/8"	250#	100 Ft.
3120-0500-100	TA15B9003	708289296380	1/2"	250#	100 Ft.
3120-0750-100	TA15B9005	708289396489	3/4"	150#	100 Ft.
3120-1000-100	TA15B9006	708289296588	1"	150#	100 Ft.

*Temperature Range: -20°F to 150°F
Do Not Use with Petroleum Based Products.*

CLEAR PVC VINYL TUBING

Crystal clear heavy wall flexible tubing used as a sight gauge and other agricultural applications.



Clear PVC Vinyl Tubing - Boxed

OLD PART #	NEW PART #	UPC CODE	SIZE	LENGTH
3010-0254	TA1004001	708289276382	1/4" I.D. x 1/8" Wall	100 Ft.
3010-0384	TA1004002	708289276481	3/8" I.D. x 1/8" Wall	100 Ft.
3010-0504	TA1004003	708289276580	1/2" I.D. x 1/8" Wall	100 Ft.
3010-0754	TA1004005	708289276689	3/4" I.D. x 1/8" Wall	100 Ft.
3010-1004	TA1004006	708289276788	1" I.D. x 1/8" Wall	100 Ft.

*Open End Applications Only
Temperature Range: 25°F to 150°F*



ULTRA DYNAMIC AGRICULTURAL HOSE PRODUCTS

ABBOTTRUBBER
COMPANY, INC.

EPDM AGRICULTURAL SPRAY HOSE

*Suitable for use with aqueous-based agricultural chemicals.
Black cover - Red cover also available.*

EPDM Agricultural Spray Hose - Packaged

OLD PART #	NEW PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
1110-0251-10	TA1106001	708289384803	1/4"	150#	10 Ft.
1110-0251-25	TA1107001	708289296687	1/4"	150#	25 Ft.
1110-0381-10	TA1106002	708289384902	3/8"	150#	10 Ft.
1110-0381-25	TA1107002	708289385305	3/8"	150#	25 Ft.
1110-0381-50	TA1108002	708289385701	3/8"	150#	50 Ft.
1110-0501-10	TA1106003	708289385008	1/2"	150#	10 Ft.
1110-0501-25	TA1107003	708289385404	1/2"	150#	25 Ft.
1110-0501-50	TA1108003	708289385800	1/2"	150#	50 Ft.
1110-0631-25	TA1107004	708289296786	5/8"	150#	25 Ft.
1110-0751-10	TA1106005	708289385107	3/4"	150#	10 Ft.
1110-0751-25	TA1107005	708289385503	3/4"	150#	25 Ft.
1110-0751-50	TA1108005	708289385909	3/4"	150#	50 Ft.
1110-1002-10	TA1106006	708289385206	1"	150#	10 Ft.
1110-1002-25	TA1107006	708289385602	1"	150#	25 Ft.
1110-1252-25	TA1107007	708289296885	1-1/4"	150#	25 Ft.
1110-1502-25	TA1107008	708289296984	1-1/2"	150#	25 Ft.
1110-2002-25	TA1108009	708289297080	2"	150#	25 Ft.



EPDM Agricultural Spray Hose - Reels

OLD PART #	NEW PART #	UPC CODE	SIZE I.D.	PRESSURE	REEL
1110-0251	TA1105501	708289302685	1/4"	150#	500 Ft.
1110-0381	TA1105502	708289276887	3/8"	150#	500 Ft.
1110-0501	TA1105503	708289276986	1/2"	150#	500 Ft.
1110-0631	TA1105504	708289272087	5/8"	150#	500 Ft.
1110-0751	TA1105505	708289277082	3/4"	150#	500 Ft.
1110-1002	TA1105456	708289302784	1"	150#	450 Ft.
1110-1252	TA1105357	708289277181	1-1/4"	150#	350 Ft.
1110-1502	TA1105308	708289277280	1-1/2"	150#	300 Ft.
1110-2002	TA1105209	708289607940	2"	150#	200 Ft.

*Temperature Range: -20° F to 190° F
Do Not Use with Petroleum Based Products.*



ULTRA DYNAMIC AGRICULTURAL HOSE PRODUCTS

ABBOTTRUBBER
COMPANY, INC.

FARM FUEL TRANSFER HOSE ASSEMBLIES

*Oil and gasoline resistant tube and cover. Designed to deliver low pressure
or gravity feed fuel to agricultural and construction equipment.*

Farm Fuel Transfer Hose - Assemblies

OLD PART #	NEW PART #	UPC CODE	SIZE I.D.	LENGTH	COUPLED
1728-0750-10	HA1712010	708289297288	3/4"	10 Ft.	NPSM Males
1728-0750-12	HA1712012	708289297387	3/4"	12 Ft.	NPSM Males
1728-0750-15	HA1712015	708289297486	3/4"	15 Ft.	NPSM Males
1728-0750-20	HA1712020	708289297585	3/4"	20 Ft.	NPSM Males
1728-1000-10	HA1716010	708289297684	1"	10 Ft.	NPSM Males
1728-1000-12	HA1716012	708289297783	1"	12 Ft.	NPSM Males
1728-1000-15	HA1716015	708289297882	1"	15 Ft.	NPSM Males
1728-1000-20	HA1716020	708289297981	1"	20 Ft.	NPSM Males

Temperature Range: -30° F to 150° F



800-852-1855



www.abbottrubber.com

AGRICULTURAL HOSE COUPLINGS

'A'



Adapter x Female NPT

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QA-050-DC	QA-050-PP
3/4"	QA-075-DC	QA-075-PP
1"	QA-100-DC	QA-100-PP
1-1/4"	QA-125-DC	QA-125-PP
1-1/2"	QA-150-DC	QA-150-PP
2"	QA-200-DC	QA-200-PP
3"	QA-300-DC	QA-300-PP
4"	QA-400-DC	QA-400-PP

Also Available in Stainless Steel or Nylon

'E'



Adapter x Hose Shank

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QE-050-DC	QE-050-PP
3/4"	QE-075-DC	QE-075-PP
1"	QE-100-DC	QE-100-PP
1-1/4"	QE-125-DC	QE-125-PP
1-1/2"	QE-150-DC	QE-150-PP
2"	QE-200-DC	QE-200-PP
3"	QE-300-DC	QE-300-PP
4"	QE-400-DC	QE-400-PP

Also Available in Stainless Steel or Nylon

'B'



Coupler x Male NPT

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QB-050-DC	QB-050-PP
3/4"	QB-075-DC	QB-075-PP
1"	QB-100-DC	QB-100-PP
1-1/4"	QB-125-DC	QB-125-PP
1-1/2"	QB-150-DC	QB-150-PP
2"	QB-200-DC	QB-200-PP
3"	QB-300-DC	QB-300-PP
4"	QB-400-DC	QB-400-PP

Also Available in Stainless Steel or Nylon

'F'



Adapter x Male NPT

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QF-050-DC	QF-050-PP
3/4"	QF-075-DC	QF-075-PP
1"	QF-100-DC	QF-100-PP
1-1/4"	QF-125-DC	QF-125-PP
1-1/2"	QF-150-DC	QF-150-PP
2"	QF-200-DC	QF-200-PP
3"	QF-300-DC	QF-300-PP
4"	QF-400-DC	QF-400-PP

Also Available in Stainless Steel or Nylon

'C'



Coupler x Hose Shank

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QC-050-DC	QC-050-PP
3/4"	QC-075-DC	QC-075-PP
1"	QC-100-DC	QC-100-PP
1-1/4"	QC-125-DC	QC-125-PP
1-1/2"	QC-150-DC	QC-150-PP
2"	QC-200-DC	QC-200-PP
3"	QC-300-DC	QC-300-PP
4"	QC-400-DC	QC-400-PP

Also Available in Stainless Steel or Nylon

'DC'



Dust Cap

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	-----	-----
3/4"	QDC-075-DC	QDC-075-PP
1"	QDC-100-DC	QDC-100-PP
1-1/4"	QDC-125-DC	QDC-125-PP
1-1/2"	QDC-150-DC	QDC-150-PP
2"	QDC-200-DC	QDC-200-PP
3"	QDC-300-DC	QDC-300-PP
4"	QDC-400-DC	QDC-400-PP

Also Available in Stainless Steel or Nylon

'D'



Coupler x Female NPT

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	-----	QD-050-PP
3/4"	QD-075-DC	QD-075-PP
1"	QD-100-DC	QD-100-PP
1-1/4"	QD-125-DC	QD-125-PP
1-1/2"	QD-150-DC	QD-150-PP
2"	QD-200-DC	QD-200-PP
3"	QD-300-DC	QD-300-PP
4"	QD-400-DC	QD-400-PP

Also Available in Stainless Steel or Nylon

'DP'



Dust Plug

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	-----	QDP-050-PP
3/4"	QDP-075-DC	QDP-075-PP
1"	QDP-100-DC	QDP-100-PP
1-1/4"	QDP-125-DC	QDP-125-PP
1-1/2"	QDP-150-DC	QDP-150-PP
2"	QDP-200-DC	QDP-200-PP
3"	QDP-300-DC	QDP-300-PP
4"	QDP-400-DC	QDP-400-PP

Also Available in Stainless Steel or Nylon

'SU'



Pin-Lug Coupling - Set

SIZE	ALUMINUM / BRASS	NYLON
1-1/4"	SU-125-SB	SU-125-N
1-1/2"	SU-150-AB	SU-150-N
2"	SU-200-AB	SU-200-N
3"	SU-300-AB	-----
4"	SU-400-AB	-----

NPSH Thread

'CN'



Combination Hose Nipple

SIZE	STEEL	POLYPROPYLENE
1/2"	CN-050-S	-----
3/4"	CN-075-S	CN-075-PP
1"	CN-100-S	CN-100-PP
1-1/4"	CN-125-S	CN-125-PP
1-1/2"	CN-150-S	CN-150-PP
2"	CN-200-S	CN-200-PP
3"	CN-300-S	CN-300-PP
4"	CN-400-S	-----

Also Available in Stainless Steel or Nylon

AGRICULTURAL HOSE ACCESSORIES



Brass Ball Valve

SIZE	PART #
1/4"	VFBV-025
3/8"	VFBV-038
1/2"	VFBV-050
3/4"	VFBV-075
1"	VFBV-100
1-1/2"	VFBV-150
2"	VFBV-200
3"	VFBV-300
4"	VFBV-400



Bolted Poly Full Port Ball Valve

SIZE	PART #
1-1/2"	VBV-150-PP
2"	VBV-200-PP
3"	VBV-300-PP



Single Union Poly Valve

SIZE	PART #
1"	UV100FP
1-1/2"	UV150FP
2"	UV200FP



Poly Nozzle Ball Valve

SIZE	PART #
2"	VNV-200-PP



Steel Strainer

SIZE	PART #
1"	SRHS-100
1-1/2"	SRHS-150
2"	SRHS-200
3"	SRHS-300
4"	SRHS-400



Poly-Strainer

SIZE	PART #
1-1/2"	SPS-150
2"	SPS-200
3"	SPS-300



Rubber Washer

SIZE	PART #
1-1/4"	SRW-125
1-1/2"	SRW-150
2"	SRW-200
3"	SRW-300
4"	SRW-400



Rubber Gasket

SIZE	PART #
1-1/4"	QRG-125
1-1/2"	QRG-150
2"	QRG-200
3"	QRG-300
4"	QRG-400

For SU Series Couplings

For Cam & Groove Style Couplings



T-Bolt Clamp

SIZE	PART #
1-1/4"	HTBC-125
1-1/2"	HTBC-150
2"	HTBC-200
3"	HTBC-300
4"	HTBC-400



Spanner Wrench

SIZE	PART #
1-1/2"	SW-150
2"	SW-200
3"	SW-300
4"	SW-400



Punch-Type Clamp Tool

PART #
BCP-P10001



Punch-Type Clamp

SIZE	PART #
1-1/4"	BCP-6
1-1/2"	BCP-8
2"	BCP-10
3"	BCP-14
4"	BCP-18

HYDRAULIC HOSE ASSEMBLIES

*Hydraulic hose assemblies with crimped steel male NPTF end fittings.
Exceeds SAE 100R16 specifications.*

1/4" Hydraulic Hose Assemblies - 5800 PSI - Packaged

OLD PART #	NEW PART #	UPC CODE	DESCRIPTION
1960-0250-18	HA1904018	708289299480	1/4" I.D. x 18" Long w/ 1/4" NPTF Solid Males Both Ends.
1960-0250-24	HA1094024	708289299589	1/4" I.D. x 24" Long w/ 1/4" NPTF Solid Males Both Ends.
1960-0250-36	HA1904036	708289299688	1/4" I.D. x 36" Long w/ 1/4" NPTF Solid Males Both Ends.
1960-0250-48	HA1904048	708289299787	1/4" I.D. x 48" Long w/ 1/4" NPTF Solid Males Both Ends.
1960-0250-60	HA1904060	708289299886	1/4" I.D. x 60" Long w/ 1/4" NPTF Solid Males Both Ends.

3/8" Hydraulic Hose Assemblies - 5000 PSI - Packaged

OLD PART #	NEW PART #	UPC CODE	DESCRIPTION
1960-0375-12	HA1906012	708289299985	3/8" I.D. x 12" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-18	HA1906018	708289300087	3/8" I.D. x 18" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-24	HA1906024	708289300186	3/8" I.D. x 24" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-30	HA1906030	708289300285	3/8" I.D. x 30" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-36	HA1906036	708289300384	3/8" I.D. x 36" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-48	HA1906048	708289300483	3/8" I.D. x 48" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-60	HA1906060	708289300582	3/8" I.D. x 60" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-72	HA1906072	708289300681	3/8" I.D. x 72" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-84	HA1906084	708289300780	3/8" I.D. x 84" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-96	HA1906096	708289300889	3/8" I.D. x 96" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-120	HA1906120	708289300988	3/8" I.D. x 120" Long w/ 3/8" NPTF Solid Males Both Ends.

1/2" Hydraulic Hose Assemblies - 5000 PSI - Packaged

OLD PART #	NEW PART #	UPC CODE	DESCRIPTION
1960-0500-12	HA1908012	708289588683	1/2" I.D. x 12" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-18	HA1908018	708289301183	1/2" I.D. x 18" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-24	HA1908024	708289301282	1/2" I.D. x 24" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-30	HA1908030	708289301381	1/2" I.D. x 30" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-36	HA1908036	708289301480	1/2" I.D. x 36" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-42	HA1908042	708289301589	1/2" I.D. x 42" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-48	HA1908048	708289301688	1/2" I.D. x 48" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-60	HA1908060	708289301787	1/2" I.D. x 60" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-72	HA1908072	708289301886	1/2" I.D. x 72" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-84	HA1908084	708289301985	1/2" I.D. x 84" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-96	HA1908096	708289302081	1/2" I.D. x 96" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-120	HA1908120	708289302180	1/2" I.D. x 120" Long w/ 1/2" NPTF Solid Males Both Ends.

3/4" Hydraulic Hose Assemblies - 3500 PSI - Packaged

OLD PART #	NEW PART #	UPC CODE	DESCRIPTION
1960-0750-18	HA1912018	708289302289	3/4" I.D. x 18" Long w/ 3/4" NPTF Solid Male Both Ends.
1960-0750-24	HA1912024	708289302388	3/4" I.D. x 24" Long w/ 3/4" NPTF Solid Male Both Ends.
1960-0750-36	HA1912036	708289302487	3/4" I.D. x 36" Long w/ 3/4" NPTF Solid Male Both Ends.
1960-0750-48	HA1912048	708289302586	3/4" I.D. x 48" Long w/ 3/4" NPTF Solid Male Both Ends.






800-852-1855



www.abbottrubber.com



ABBOTT RUBBER COMPANY, INC.

UDP

ULTRA DYNAMIC AGRICULTURAL HOSE PRODUCTS

1311 MEACHAM RD., ITASCA, IL 60143

(800) 852-1855 FAX (847) 952-0156

E-MAIL sales@abbottrubber.com WEBSITE www.abbottrubber.com

NAHAD | Safety, Quality
HOSE SAFETY INSTITUTE & Reliability