



Kuriyama of America, Inc.
 150 N MARTINGALE ROAD
 SCHAUMBURG, IL 60173-5335 USA
Phone: (847) 755-0360
Toll-Free FAX: (800) 800-0320
International FAX: (847) 885-0996 **Email:** sales@kuriyama.com

Series No. K2163-12X300, Series K2163 Contractor PVC Water Hose

A heavy duty PVC water hose suitable for general industrial water and construction applications.



[Construction](#) | [Features](#) | [Applications](#) | [Service Temperature Range](#) | [Nominal Specifications](#) | [Specifications](#) | [Compliance](#)
[Footnotes](#)

Construction

Tube	Black PVC Compound
Cover	Black PVC Weather Resistant Compound
Reinforcement Construction	High Tensile Strength Yarn

Features

- Cost effective.
- Lightweight.
- Higher Working and Burst Pressures.

Features

- Weather Resistant PVC Cover.
- Silicone-Free.
- One-piece Lengths.
- Individually Shrink-Wrapped Assemblies are available.
- Phthalate Free!

Applications —**Applications**

- Construction Water Transfer.
- Heavy Duty Industrial and Commercial Watering.
- Irrigation Supply Lines.
- Municipal Maintenance Watering.

Service Temperature Range —**Service Temperature [Min]**

25 °F
-4 °C

Service Temperature [Max]

150 °F
65 °C

Nominal Specifications —**Size Code**

12

Nominal ID

3/4 in
19.1 mm

Nominal OD

1.030 in
26.2 mm

**Max. Working Pressure at 70°F
(20°C)**

150 psi

**Max. Working Pressure at 122°F
(50°C)**

75 psi

Standard Length

300 ft

Approx. Wt. per Pkg.

65.0 lb

Specifications

Brand

Kuri Tec®

Series

K2163

Type

Water Hose

Style

Contractor PVC Water Hose

Color

Black

Compliance Footnotes

Compliance Footnotes

Phthalate Free - Manufactured from all phthalate free materials